




# CSC BEARING GROUP limited



39,688 mm x 73,025 mm x 22,098 mm NSK  
M201047/M201011 Double knee bearing

Bearing No. M201047/M201011

M201047/M201011 Bearing 2D drawings and 3D CAD models

Size	39.688x73.025x25.654 mm
Bore Diameter	39,688 mm
Outer Diameter	73,025 mm
Width	25,654 mm
d	39,688 mm
D	73,025 mm
T	25,654 mm
B	22,098 mm
C	21,336 mm
ra1 max.	2,3 mm
a	19,7 mm
r min.	0,8 mm
r1 min.	2,3 mm
Da	64 mm
db	48 mm
ra max.	0,8 mm
da	45,5 mm
Db	69 mm
Weight	0,435 Kg
Basic dynamic load rating (C)	62,5 kN
Basic static load rating (C0)	80 kN
(Grease) Lubrication Speed	5000 r/min
(Oil) Lubrication Speed	6700 r/min
Calculation factor (e)	0,33
Calculation factor (Y0)	0,99



## CSC BEARING GROUP limited

LangID	1
ALP23	0
outer r	2.3
ALP22	0
D_	73.025
ALP21	25
SHOG_yobi	M201047R/M201011R
RAr	156.626
inner r	0.8
GRS rpm	5000
D_b	69
D_a	64
DE_	63.393
SLR	16.5
Prod_Type3	TRBSR_ID_A
BETA_	1
ALPHA_	12.5
SDM_	56.623
DA1	8.2
DA2	7.339
hidYobi	M201047/M201011
Y1	1.8
B_	22.098
Oil rpm	6700
hidTable	ecat_NSTPRI
Y0	0.99
inner ra	0.8
outer rb	2.3
C0	80
CUP	0.169
e	0.33
DA_	7.771



## CSC BEARING GROUP limited

BET21	3
BET22	0
BET23	0
Z_	18
C_	21.336
yobi	M201047/M201011
KBRG	3161
CONE	0.266
DI_	48.929